






Labeling plate for snapping on or gluing to label holder, label size 12.5x27mm, black label, white font, with inscription: start



| | | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| product brand name | SIRIUS ACT | | |
| product designation | Labeling plate | | |
| product type designation | 3SU1 | | |
| General technical data | | | |
| protection class IP | IP66, IP67, IP69(IP69K) | | |
| shock resistance for railway applications according to EN 61373 | Category 1, Class B | | |
| vibration resistance for railway applications according to EN 61373 | Category 1, Class B | | |
| Substance Prohibitation (Date) | 10/01/2014 | | |
| Net Weight | 1 g | | |
| Ambient conditions | | | |
| ambient temperature | | | |
| • during operation | 70 ... -25 °C | | |
| • during storage and transport | 80 ... -40 °C | | |
| Environmental footprint | | | |
| Environmental Product Declaration(EPD) | Yes | | |
| global warming potential [CO2 eq] total | 0.787 kg | | |
| global warming potential [CO2 eq] during manufacturing | 0.566 kg | | |
| global warming potential [CO2 eq] during operation | 0.235 kg | | |
| global warming potential [CO2 eq] after end of life | -0.015 kg | | |
| Installation/ mounting/ dimensions | | | |
| height | 12.5 mm | | |
| width | 27 mm | | |
| Accessories | | | |
| material of accessory | Plastic | | |
| fastening method of label | snap on / stick | | |
| marking of the name plate for command devices | Start | | |
| shape of the name plate for command devices | rectangular | | |
| color of the label | black (plate); white (text) | | |
| Approvals Certificates | | | |
| General Product Approval | | Test Certificates | Maritime application |
|  |  |  |  |
| | | | Type Test Certificates/Test Report |
| | | |  |
| Maritime application | other | Environment | |


[Confirmation](#)


Environment

Siemens
EcoTech



[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AC16-0DT0>

Cax online generator


<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AC16-0DT0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AC16-0DT0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AC16-0DT0&lang=en



last modified:

4/2/2025

TURLL

YOUR GLOBAL AUTOMATION PARTNER

3SU1900-0AC16-0DT0

OFFICIAL DATASHEET & QUOTATION

- 100% New & Original Factory Sealed
- Global Express Shipping (DHL/FedEx/UPS)
- 12-Month Warranty Protection
- Professional Technical Support

[CHECK STOCK & PRICE](#)



Need Assistance? Scan to Chat on WhatsApp

sales@turl.com | +852 6339 7344