

Siemens
EcoTech



SIMATIC ET 200SP HA, carrier module 8-fold carrier for holding 8 I/O modules of the ET 200SP HA



Figure similar

General information																
Product type designation	Carrier module 8 times															
Product function																
<ul style="list-style-type: none"> I&M data 	Yes; Asset data															
Hardware configuration																
Formation of potential groups																
<ul style="list-style-type: none"> support of potential groups 	Yes															
Slots																
<ul style="list-style-type: none"> Number of slots 	8															
Potential separation																
between backplane bus and supply voltage	Yes; 4 200 V DC/1 min, type test															
between the potential groups	Yes; 3 510 V AC/ 5 s, type test (between the power supply groups; due to isolating distance (increased isolation) for future ÜK-III requirement of F technology)															
Isolation																
Isolation tested with	1 500 V DC/1 min, type test (between backplane bus and functional ground)															
Ambient conditions																
Ambient temperature during operation																
<ul style="list-style-type: none"> horizontal installation, min. horizontal installation, max. vertical installation, min. vertical installation, max. 	-40 °C 70 °C -40 °C 60 °C															
Dimensions																
Width	187.5 mm; 180 mm when installed															
Height	203 mm															
Depth	79 mm															
Weights																
Weight, approx.	450 g															
Classifications																
	<table border="1"> <thead> <tr> <th></th> <th>Version</th> <th>Classification</th> </tr> </thead> <tbody> <tr> <td>eClass</td> <td>14</td> <td>27-24-26-07</td> </tr> <tr> <td>eClass</td> <td>12</td> <td>27-24-26-07</td> </tr> <tr> <td>eClass</td> <td>9.1</td> <td>27-24-26-07</td> </tr> <tr> <td>eClass</td> <td>9</td> <td>27-24-26-07</td> </tr> </tbody> </table>		Version	Classification	eClass	14	27-24-26-07	eClass	12	27-24-26-07	eClass	9.1	27-24-26-07	eClass	9	27-24-26-07
	Version	Classification														
eClass	14	27-24-26-07														
eClass	12	27-24-26-07														
eClass	9.1	27-24-26-07														
eClass	9	27-24-26-07														

eClass	8	27-24-26-07
eClass	7.1	27-24-26-07
eClass	6	27-24-26-07
ETIM	10	EC001603
ETIM	9	EC001603
ETIM	8	EC001603
ETIM	7	EC001603

Approvals / Certificates

General Product Approval



[Miscellaneous](#)



[Declaration of Conformity](#)



General Product Approval For use in hazardous locations



[Declaration of Conformity](#)



For use in hazardous locations Maritime application



[Miscellaneous](#)



Maritime application Environment

[NK / Nippon Kaiji Kyokai](#)



[CCS \(China Classification Society\)](#)



last modified:

10/23/2025

TURLL

YOUR GLOBAL AUTOMATION PARTNER

6DL1193-6GC00-0NN0

OFFICIAL DATASHEET & QUOTATION

- 100% New & Original Factory Sealed
- Global Express Shipping (DHL/FedEx/UPS)
- 12-Month Warranty Protection
- Professional Technical Support

[CHECK STOCK & PRICE](#)



Need Assistance? Scan to Chat on WhatsApp

sales@turl.com | +852 6339 7344