

Data sheet

6ES7133-6CV15-1AM0



SIMATIC ET 200SP, 5 BU covers, 15 mm. for protection of empty slots

General information	
Product type designation	BU cover
Ambient conditions	
Ambient temperature during operation	
• min.	-40 °C
• max.	70 °C
Altitude during operation relating to sea level	
• Installation altitude above sea level, max.	5 000 m; Restrictions for installation altitudes > 2 000 m, see manual
Dimensions	
Width	15 mm
Height	73 mm
Depth	35.3 mm

Classifications			
		Version	Classification
	eClass	14	27-24-26-92
	eClass	12	27-24-26-92
	eClass	9.1	27-24-26-92
	eClass	9	27-24-26-92
	eClass	8	27-24-26-92
	eClass	7.1	27-24-26-92
	eClass	6	27-24-26-92
	ETIM	10	EC002584
	ETIM	9	EC002584
	ETIM	8	EC002584
	ETIM	7	EC002584
	IDEA	4	3552
	UNSPSC	15	32-15-17-03

Approvals / Certificates	
General Product Approval	Railway

[Miscellaneous](#)
[China RoHS](#)
[Manufacturer Declaration](#)

[Confirmation](#)

last modified:

5/22/2024

TURLL

YOUR GLOBAL AUTOMATION PARTNER

6ES7133-6CV15-1AM0

OFFICIAL DATASHEET & QUOTATION

- 100% New & Original Factory Sealed
- Global Express Shipping (DHL/FedEx/UPS)
- 12-Month Warranty Protection
- Professional Technical Support

[CHECK STOCK & PRICE](#)



Need Assistance? Scan to Chat on WhatsApp

sales@turl.com | +852 6339 7344