



SIMATIC ET 200SP, BusAdapter BA 2xFC, 2x FastConnect connections

General information		
Product type designation	BA 2x FC	
Interfaces		
Number of PROFINET interfaces	1; 2 port (switch) 2x FC	
Supports protocol for PROFINET IO		
• Number of FC (FastConnect) connections	2	
Cable length		
— Cu conductors	100 m	
Standards, approvals, certificates		
Ecological footprint		
• environmental product declaration	Yes	
Global warming potential		
— global warming potential, (total) [CO2 eq]	1.14 kg	
— global warming potential, (during production) [CO2 eq]	1.2 kg	
— global warming potential, (during operation) [CO2 eq]	0 kg	
— global warming potential, (after end of life cycle) [CO2 eq]	-0.069 kg	
Ambient conditions		
Ambient temperature during operation		
• horizontal installation, min.	-30 °C	
• horizontal installation, max.	60 °C	
• vertical installation, min.	-30 °C	
• vertical installation, max.	50 °C	
Altitude during operation relating to sea level		
• Installation altitude above sea level, max.	5 000 m; restrictions for installation altitudes > 2 000 m, see ET 200SP system manual	
Dimensions		
Width	20 mm	
Height	69.5 mm	
Depth	59 mm	
Weights		
Weight, approx.	53 g	
Classifications		
	<b>Version</b>	<b>Classification</b>
eClass	14	27-24-26-92
eClass	12	27-24-26-92
eClass	9.1	27-24-26-92

eClass	9	27-24-26-92
eClass	8	27-24-26-92
eClass	7.1	27-24-26-92
eClass	6	27-24-26-92
ETIM	10	EC002584
ETIM	9	EC002584
ETIM	8	EC002584
ETIM	7	EC002584
IDEA	4	3552
UNSPSC	15	32-15-17-03

**Approvals / Certificates**

**General Product Approval**

[Manufacturer Declaration](#)



**For use in hazardous locations**



[FM](#)

[CCC-Ex](#)



[Miscellaneous](#)

**For use in hazardous locations** | **Maritime application**

[Type Examination Certificate](#)



[NK / Nippon Kaiji Kyokai](#)

**Maritime application** | **Environment**



[CCS \(China Classification Society\)](#)



last modified:

9/19/2025

# TURLL

YOUR GLOBAL AUTOMATION PARTNER

## 6ES7193-6AF00-0AA0

OFFICIAL DATASHEET & QUOTATION

- 100% New & Original Factory Sealed
- Global Express Shipping (DHL/FedEx/UPS)
- 12-Month Warranty Protection
- Professional Technical Support

[CHECK STOCK & PRICE](#)



Need Assistance? Scan to Chat on WhatsApp

[sales@turl.com](mailto:sales@turl.com) | +852 6339 7344