

Data sheet

6ES7193-6BR00-0HM0



Figure similar

SIMATIC ET 200SP, BaseUnit M0 with 2 slots for accommodating R1-capable Interface module IM 155-6 PN R1 incl. server module

| General information | | |
|---|--|-----------------------|
| Product type designation | BU type M0 | |
| Supply voltage | | |
| Rated value (DC) | 24 V | |
| Hardware configuration | | |
| Slots | | |
| • Number of slots | 2 | |
| Potential separation | | |
| between backplane bus and supply voltage | Yes | |
| Isolation | | |
| Isolation tested with | 707 V DC (type test) | |
| Ambient conditions | | |
| Ambient temperature during operation | | |
| • horizontal installation, min. | -30 °C | |
| • horizontal installation, max. | 60 °C | |
| • vertical installation, min. | -30 °C | |
| • vertical installation, max. | 50 °C | |
| Altitude during operation relating to sea level | | |
| • Installation altitude above sea level, max. | 2 000 m; On request: Installation altitudes greater than 2 000 m | |
| Absolute humidity | | |
| • dew point, min. | -60 °C; suitable for dry room applications | |
| Dimensions | | |
| Width | 100 mm | |
| Height | 141 mm | |
| Depth | 29 mm | |
| Weights | | |
| Weight, approx. | 142 g | |
| Classifications | | |
| | Version | Classification |
| eClass | 14 | 27-24-26-03 |
| eClass | 12 | 27-24-26-03 |
| eClass | 9.1 | 27-24-26-03 |
| eClass | 9 | 27-24-26-03 |
| eClass | 8 | 27-24-26-03 |
| eClass | 7.1 | 27-24-26-03 |
| eClass | 6 | 27-24-26-03 |

| | | |
|------|----|----------|
| ETIM | 10 | EC001598 |
| ETIM | 9 | EC001598 |
| ETIM | 8 | EC001598 |
| ETIM | 7 | EC001598 |

Approvals / Certificates

General Product Approval



[Manufacturer Declaration](#)



General Product Approval

For use in hazardous locations



[FM](#)

[CCC-Ex](#)



For use in hazardous locations

Maritime application

[Miscellaneous](#)

[Type Examination Certificate](#)

[CCC-Ex](#)



Maritime application



[NK / Nippon Kaiji Kyokai](#)



[CCS \(China Classification Society\)](#)

last modified:

2/1/2026

TURLL

YOUR GLOBAL AUTOMATION PARTNER

6ES7193-6BR00-0HM0

OFFICIAL DATASHEET & QUOTATION

- 100% New & Original Factory Sealed
- Global Express Shipping (DHL/FedEx/UPS)
- 12-Month Warranty Protection
- Professional Technical Support

[CHECK STOCK & PRICE](#)



Need Assistance? Scan to Chat on WhatsApp

sales@turl.com | +852 6339 7344