

Data sheet

6ES7214-2AD23-0XB8

*** spare part *** SIMATIC S7-200 CN, CPU 224XP Compact device, DC power supply 14 DI DC/10 DO DC, 2 AI, 1 AO, 12/16 KB progr./10 KB data, 2 PPI/user-programmable interface this S7-200 CN product only has CE approval



Figure similar

Power loss	
Power loss, typ.	8 W
Digital inputs	
Number of digital inputs	14
Digital outputs	
Number of digital outputs	10; Transistor
Relay outputs	
• Number of relay outputs	0
Dimensions	
Width	140 mm
Height	80 mm
Depth	62 mm
Classifications	

	Version	Classification
eClass	14	27-24-22-07
eClass	12	27-24-22-07
eClass	9.1	27-24-22-07
eClass	9	27-24-22-07
eClass	8	27-24-22-07
eClass	7.1	27-24-22-07
eClass	6	27-24-22-07
ETIM	10	EC000236
ETIM	9	EC000236
ETIM	8	EC000236
ETIM	7	EC000236
IDEA	4	3565
UNSPSC	15	32-15-17-05

Approvals / Certificates	
General Product Approval	Maritime application



[China RoHS](#)



last modified:

7/17/2025 

TURLL

YOUR GLOBAL AUTOMATION PARTNER

6ES7214-2AD23-0XB8

OFFICIAL DATASHEET & QUOTATION

- 100% New & Original Factory Sealed
- Global Express Shipping (DHL/FedEx/UPS)
- 12-Month Warranty Protection
- Professional Technical Support

CHECK STOCK & PRICE



Need Assistance? Scan to Chat on WhatsApp

sales@turll.com | +852 6339 7344