

SIEMENS

Data sheet

6ES7214-2BD23-0XB8

*** spare part *** SIMATIC S7-200 CN, CPU 224XP Compact device, AC power supply 14DI DC/10DO relay, 2 AI, 1 AO, 12/16 KB progr./10 KB data, 2 PPI/user-programmable interface this S7-200 CN product only has CE approval



Figure similar

Power loss			
Power loss, typ.	11 W		
Digital inputs			
Number of digital inputs	14		
Digital outputs			
Number of digital outputs	10; Relays		
Relay outputs			
• Number of relay outputs	10		
Dimensions			
Width	140 mm		
Height	80 mm		
Depth	62 mm		
Classifications			
		Version	Classification
	eClass	14	27-24-22-07
	eClass	12	27-24-22-07
	eClass	9.1	27-24-22-07
	eClass	9	27-24-22-07
	eClass	8	27-24-22-07
	eClass	7.1	27-24-22-07
	eClass	6	27-24-22-07
	ETIM	10	EC000236
	ETIM	9	EC000236
	ETIM	8	EC000236
	ETIM	7	EC000236
	IDEA	4	3565
	UNSPSC	15	32-15-17-05

Approvals / Certificates	
General Product Approval	Maritime application



[China RoHS](#)



last modified:

7/17/2025 

TURLL

YOUR GLOBAL AUTOMATION PARTNER

6ES7214-2BD23-0XB8

OFFICIAL DATASHEET & QUOTATION

- 100% New & Original Factory Sealed
- Global Express Shipping (DHL/FedEx/UPS)
- 12-Month Warranty Protection
- Professional Technical Support

[CHECK STOCK & PRICE](#)



Need Assistance? Scan to Chat on WhatsApp

sales@turl.com | +852 6339 7344