

Data sheet

6ES7232-0HB22-0XA8



Figure similar

*** spare part *** SIMATIC S7-200 CN analog output EM 232, only for S7-22X CPU, 2 AO, +/-10 V DC, 12 bit converter this S7-200 CN product only has CE approval

Power loss	
Power loss, typ.	2 W
Analog outputs	
Number of analog outputs	2
Analog value generation for the outputs	
Integration and conversion time/resolution per channel	
<ul style="list-style-type: none"> Resolution with overrange (bit including sign), max. 	12 bit; U / 12 bit, I / 11 bit
Dimensions	
Width	46 mm
Height	80 mm
Depth	62 mm
Classifications	

	Version	Classification
eClass	14	27-24-22-01
eClass	12	27-24-22-01
eClass	9.1	27-24-22-01
eClass	9	27-24-22-01
eClass	8	27-24-22-01
eClass	7.1	27-24-22-01
eClass	6	27-24-22-01
ETIM	10	EC001420
ETIM	9	EC001420
ETIM	8	EC001420
ETIM	7	EC001420
IDEA	4	3562
UNSPSC	15	32-15-17-05

Approvals / Certificates	
General Product Approval	Maritime application

[China RoHS](#)

[CCS \(China Classification Society\)](#)

last modified:

7/17/2025

TURLL

YOUR GLOBAL AUTOMATION PARTNER

6ES7232-0HB22-0XA8

OFFICIAL DATASHEET & QUOTATION

- 100% New & Original Factory Sealed
- Global Express Shipping (DHL/FedEx/UPS)
- 12-Month Warranty Protection
- Professional Technical Support

[CHECK STOCK & PRICE](#)



Need Assistance? Scan to Chat on WhatsApp

sales@turl.com | +852 6339 7344