



Figure similar

SIMATIC S7, Micro Memory Card for S7-300/C7/ET 200, 3, 3V Nflash, 8 MB

General information																																											
Product type designation	Micro Memory Card																																										
Memory																																											
Type of memory	Flash-EEPROM																																										
Memory size	8 Mbyte																																										
Number of write/delete operations, min.	100 000																																										
Data retention (after final programming action), min.	10 a																																										
Dimensions																																											
Width	24 mm																																										
Height	32 mm																																										
Depth	1.4 mm																																										
Weights																																											
Weight, approx.	2 g																																										
Classifications																																											
	<table border="1"> <thead> <tr> <th></th> <th>Version</th> <th>Classification</th> </tr> </thead> <tbody> <tr> <td>eClass</td> <td>14</td> <td>27-24-22-12</td> </tr> <tr> <td>eClass</td> <td>12</td> <td>27-24-22-12</td> </tr> <tr> <td>eClass</td> <td>9.1</td> <td>27-24-22-12</td> </tr> <tr> <td>eClass</td> <td>9</td> <td>27-24-22-12</td> </tr> <tr> <td>eClass</td> <td>8</td> <td>27-24-22-12</td> </tr> <tr> <td>eClass</td> <td>7.1</td> <td>27-24-22-12</td> </tr> <tr> <td>eClass</td> <td>6</td> <td>27-24-22-12</td> </tr> <tr> <td>ETIM</td> <td>10</td> <td>EC000192</td> </tr> <tr> <td>ETIM</td> <td>9</td> <td>EC000192</td> </tr> <tr> <td>ETIM</td> <td>8</td> <td>EC000192</td> </tr> <tr> <td>ETIM</td> <td>7</td> <td>EC000192</td> </tr> <tr> <td>IDEA</td> <td>4</td> <td>6458</td> </tr> <tr> <td>UNSPSC</td> <td>15</td> <td>43-20-14-02</td> </tr> </tbody> </table>		Version	Classification	eClass	14	27-24-22-12	eClass	12	27-24-22-12	eClass	9.1	27-24-22-12	eClass	9	27-24-22-12	eClass	8	27-24-22-12	eClass	7.1	27-24-22-12	eClass	6	27-24-22-12	ETIM	10	EC000192	ETIM	9	EC000192	ETIM	8	EC000192	ETIM	7	EC000192	IDEA	4	6458	UNSPSC	15	43-20-14-02
	Version	Classification																																									
eClass	14	27-24-22-12																																									
eClass	12	27-24-22-12																																									
eClass	9.1	27-24-22-12																																									
eClass	9	27-24-22-12																																									
eClass	8	27-24-22-12																																									
eClass	7.1	27-24-22-12																																									
eClass	6	27-24-22-12																																									
ETIM	10	EC000192																																									
ETIM	9	EC000192																																									
ETIM	8	EC000192																																									
ETIM	7	EC000192																																									
IDEA	4	6458																																									
UNSPSC	15	43-20-14-02																																									

Approvals / Certificates	
General Product Approval	EMV



EG-Konf.


[Manufacturer Declaration](#)


UL



RCM



RCM

Maritime application



ABS



PRS

last modified:

1/16/2021 

TURLL

YOUR GLOBAL AUTOMATION PARTNER

6ES7953-8LP31-0AA0

OFFICIAL DATASHEET & QUOTATION

- 100% New & Original Factory Sealed
- Global Express Shipping (DHL/FedEx/UPS)
- 12-Month Warranty Protection
- Professional Technical Support

[CHECK STOCK & PRICE](#)



Need Assistance? Scan to Chat on WhatsApp

sales@turl.com | +852 6339 7344